

GOVERNMENT OF WEST BENGAL
Department of Microbiology
(SeroLOGY & IMMUNOLOGY SECTION)
Murshidabad
Berhampore, Murshidabad, West Bengal

Name:	GULAM MAMNUDDIN RANJHMAN	Age:	57 Years
Laboratory ID:	203	Sex:	Male / Female
Registration No.		Referred by:	
Date of Receipt:	04/11/13	Date of Report:	04/11/2013
Sample:			
Provisional Diagnosis:			

Name of Test	Type of Test	Test value / Result
C-Reactive protein (C.R.P) (Normal value < 6mg/Lit)	Latex agglutination Test	6mg/Lit (Positive/Negative)
Rheumatoid factors (R.A. Factor) (Normal value < 10 I.U/ml)	Latex agglutination Test	10 I.U./ml (Positive/Negative)
Antistreptolysin O (ASO) titre (Normal value < 200 I.U/ml)	Latex agglutination Test	200 I.U./ml (Positive/Negative)
Anti-H.C.M.	Chromatographic Immunoassay	Reactive / Nonreactive
HBsAg	Chromatographic Immunoassay	Reactive / Nonreactive
Hepatitis-A (HAV)	Chromatographic Immunoassay	Reactive / Nonreactive
Rapid Plasma Reagins (RPR) Test	Flocculation Test	Reactive / Nonreactive
Dengue NS1	ELISA	Reactive / Equivocal / Nonreactive
Dengue IgM	Mac ELISA	Reactive / Equivocal / Nonreactive
Turkey Test	Agglutination Test	

Reporting Officer
Department of Microbiology

Central Laboratory
Murshidabad Medical College & Hospital

GOVERNMENT OF WEST BENGAL

Department of Health & Family Welfare
West Bengal State AIDS Prevention & Control Society

1st Floor, Swasthya Bhawan, Block GN-29, Sector-V, Salt Lake, Kolkata-700 091

HV TEST REPORT FORM

Name and address of IC

Name: First Name Luke Last Name St

Middle Name Matthew Surname Koh

Gender NEEDS

Age:

Age: 5 (Years), Date and time blood drawn:

PID No. GC/PW SAICTC WB

0579 36

Lab ID No.

Top Gun Catalyst

Specimen type used for testing: Serum/ Plasma/ Whole Blood

Date and time specimen tested:

(DD/MM/YY/YY)

卷之三

- 1 -

- Column 2 and 3 to be filled out if no cell has to be left blank; indicate when HIV 1 & 2 antibody discriminatory test(s) used. State as NA where not applicable.

Column 1	Column 2	Column 3	Column 4	Column 5
Name of HIV test kit	Reactive/Nonreactive (R/NR) for HIV-1 antibodies	Reactive/Nonreactive (R/NR) for HIV-2 antibodies	Reactive/Nonreactive (R/NR) for HIV antibodies	Batch No. with Expiry Date
Test II:	NA	NA	NR	90000198598 11/6/19
Test III:				
Test IV:				

Interpretation of the result: Tick (✓) relevant

- Specimen is negative for HIV antibodies
 - Specimen is positive for HIV-1 antibodies
 - Specimen is positive for HIV antibodies (HIV 1 and HIV 2; or HIV 2 alone)
 - Specimen is indeterminate for HIV antibodies. Collect fresh sample in two weeks

Fig. 1. Proportion of HIV-2 sero-status at identified referral laboratory through ART centres

- End of report -

Name & Signature with stamp of
Engrained Technician

Name & Signature with stamp of
Laboratory In-Charge MOIC