

Save Child

DIAGNOSTIC

Advanced Pathology • E.C.G. • Colour Doppler • Holter Monitoring • Ultrasonography • Digital X-Ray
Our Services Area : All over West Bengal, Bihar & Odisha
2/2A, Suresh Sarkar Road, 2nd Floor, Kolkata - 700 014 Beside N.R.S. Medical College Hospital (Mouli Crossing)
Contact : +91-9163939328 / 8335847596 • E-mail : citymed2008@rediffmail.com • Website : www.citymed.in

Test Report

Associate Name : BRG
Patient's Name : BIJOY PRAMANICK
ID Number : CMD/19/3/C-11453/89
Referred By : DR. OF HOSPITAL

Received On : 29/03/2019
Reported On : 29/03/2019
Age/Sex/Wt/Ht : 53 Y / FEMALE
Sample Source : O.S.S.

KinectPro / CityMed / cmd

HEPATITIS MARKERS

Test Description	Result	Unit	Normal Range
Hepatitis B surface Antigen (HBsAg) Methodology : ELISA	0.138	OD	Cut-Off OD : 0.274
HCV Ab(Hepatitis C Virus Antibody) Methodology : ELISA	0.11	AI	Negative : < 0.19 AI Equivalocal : 0.19-0.20 AI Positive : > 0.20 AI

N.B :
Elevated level of Antibodies against HCV observed 2-6 months after infection and depend on the patient's immunity. Elevated level implies infection with HCV but not infectivity or immunity.
Anti-HCV may be negative in those cases of HCV infection where the disease is acute, self limiting & transient. Elevated level does not suggest active infection and the presence of HCV should be further confirmed by HCV RNA PCR test. The test may show false negative result during very early stage of infection.

End of Report

Checked by
Dr. Abhishek Kundu
M.Sc. (Medical Biochemistry)
Ph.D. (Consultant Biochemist)

Dr. Sanjib K. Pattari
M.D. Pathology; PGI, Chandigarh
Consultant Histopathologist & Cytologist

Dr. A. Banerjee
MD (Path)
Consultant Pathology

Dr. (Prof.) Mrs. Sabitri Sanyal
MBBS, DGO, Ph.D. (Med in Pathology)
Prof. & Head Dept. of Pathology (Retired)
Medical College Hospital, Kolkata, West Bengal

This laboratory, only for guidance, depends on assay procedures, equipments used & quality of samples as application. The final diagnosis should be made with co-relation of other clinical findings. For any kind of technical queries relevant to this report, please contact immediately. Patient identity verification is not possible for those samples coming from out side. This report is not valid for medico-legal purpose

