



NAME : Ranjit Das.

AGE/SEX : 33 Yrs/Male.

Refd. by Doc. : Dr. D. Roy. M.D.

DATE OF REPORT : 09.01.19.

REPORT ON EXAMINATION OF BLOOD

Sample : Blood/Serum.

TEST

RESULT

HCV : NEGATIVE

- set.
Kits used : HCV Rapid Test
3D
Mfd. : Span Diagnostic Ltd.

HBsAg : NEGATIVE

- Enclose : One casset.
Kits used : HEPACARD

HIV (I & II) : Non - Reactive (HIV I & II)

- Kits used : HIV 3D
Mfd. : Span Diagnostic Ltd.

Remarks : Second Sample may Please be given for confirmation to exclude any error in the test sampling if desired.

N.B : In case of Non - Reactive result report test is suggested after three months.

Thank you for kind referral.

Checked by : **Dr. J. Ghosh**
M.D. (Path)

Dr. Anilash Das
MBBS, DCP (Cal.)

Dr. Subhasis Jana
MD (Path)

- 1) If Result is unexpected, alarming or not matched with clinical conditions please contact the lab for recheck of the Result.
- 2) The test result only to the sample collected for the test.
- 3) Identity of the patient is not varified.
- 4) Result of the test vary from lab to lab and also same. Parameters for the time to time for he same patient
- 5) Not for Medico Legal Purpose