

NAME : Subhas Aich.

AGE/SEX :

by Doc. : Dr. P. M. D. H.

DATE OF REPORT : 13.07.19.

REPORT ON EXAMINATION OF BLOOD

Sample : Blood/Serum.

TEST	RESULT
HCV	NEGATIVE
<ul style="list-style-type: none"> • set. Kits used 	HCV Rapid Test 3D Mfd. : Span Diagnostic Ltd.
HBsAg	NEGATIVE
<ul style="list-style-type: none"> • Enclose : One casset. Kits used 	HEPACARD
HIV (I & II)	Non - Reactive (HIV I & II)
<ul style="list-style-type: none"> • Kits used 	HIV 3D Mfd. : Span Diagnostic Ltd.

Remarks : Second Sample may Please be given for confirmation to exclude any error in the test sampling if desired.
 N.B : In case of Non - Reactive result report test is suggested after three months.

Thank you for kind referral.

Checked by : **Dr. J. Ghosh**
M.D. (Path)

Dr. Anilash Das
MBBS, DCP (Cal.)

Dr. Subhasis Jana
MD (Path)

- 1 Result is unexpected, alarming or not matched with clinical conditions please contact the lab for recheck of the Result.
- 2 The test result only to the sample collected for the test.
- 3 Identity of the patient is not varified.
- 4 Result of the test vary from lab to lab and also same. Parameters for the time to time for he same patient
- 5 Not for Medico Legal Purpose