

NAME : Kajal Maity.

AGE/SEX : Yrs/Female.

Refd by Doc. : Dr. P. M. D. H.

DATE OF REPORT : 23.07.2019.

REPORT ON EXAMINATION OF BLOOD

Sample : Blood/Serum.

TEST

RESULT

HCV

: NEGATIVE

• set.  
Kits used

: HCV Rapid Test  
3D  
Mfd. : Span Diagnostic Ltd.

HBsAg

: NEGATIVE

• Enclose : One casset.  
Kits used

: HEPACARD

HIV ( I & II )

: Non - Reactive (HIV I & II)

• Kits used

: HIV 3D  
Mfd. : Span Diagnostic Ltd.

Remarks : Second Sample may Please be given for confirmation to exclude any error in the test sampling if desired.

N.B : In case of Non - Reactive result report test is suggested after three months.

Thank you for kind referral.

Checked by :

Dr. J. Ghosh  
M.D. (Path)

Dr. Anilesh Das  
MBBS, DCP (Cal.)

- 1) If Result is unexpected, alarming or not matched with clinical conditions please contact the lab for recheck of the Result.
- 2) The test result only to the sample collected for the test.
- 3) Identity of the patient is not varified.
- 4) Result of the test vary from lab to lab and also same. Parameters for the time to time for he same patient
- 5) Not for Medico Legal Purpose