

(67)

NAME : Bimala Metya.

AGE/SEX : Yrs/Female.

Refd. by Doc. : Dr. P. M. D. H.

DATE OF REPORT : 02/04/19.

REPORT ON EXAMINATION OF BLOOD

Sample : Blood/Serum.

TEST

RESULT

HCV

: NEGATIVE

• set.  
Kits used :

HCV Rapid Test  
3D  
Mfd. : Span Diagnostic Ltd.

HBsAg

: NEGATIVE

• Enclose : One casset.  
Kits used :

HEPACARD

HIV ( I & II )

: Non - Reactive (HIV I & II)

• Kits used :

HIV 3D  
Mfd. : Span Diagnostic Ltd.

Remarks : Second Sample may Please be given for confirmation to exclude any error in the test sampling if desired.  
N.B : In case of Non - Reactive result report test is suggested after three months.

Thank you for kind referral.

Dr. J. Ghosh  
M.D. (Path)

A. Das  
Dr. Anilesh Das  
MBBS, DCP (Cal.)

Dr. Subhasis Jana  
MD (Path)

Checked by :

If Result is unexpected, alarming or not matched with clinical conditions please contact the lab for recheck of the Result.  
The test result only to the sample collected for the test.  
Identity of the patient is not varified.  
Result of the test vary from lab to lab and also same. Parameters for the time to time for he same patient  
Not for Medico Legal Purpose