

REPORT ON THE ESTIMATION OF
HEPATITIS B SURFACE ANTIGEN
BY ELISA METHOD

PATIENT NAME : MANASHA RAM DAS

AGE : 56 Year SEX: M

PATIENT ID : BS51/19-20/05/07275

RECEIPT DATE : 18-05-19

REF. BY : DR. ASIT ROY

REPORTING DATE : 20-05-19

LAB. NAME : **/**//----+++

LAB SERIAL NO. : BS51/BOSS
BOS

TEST	VALUE	UNIT	CUT OFF INDEX
Hepatitis B Surface Antigen - HBsAg	0.05	O. D.	Cut Off 0.26


HBsAg is a screening test. Suggested for further specific confirmatory investigations if required.

Remarks : The result may be correlated clinically.

Negative : Less than cut off.

Positive : Greater than cut off.

Patient's identification not verified and sample is not drawn by us.


Dr. R. N. DAS
M.D. (Path)
CONSULTANT PATHOLOGIST

Dr. SIDDHARTHA MUKHERJEE
M.B.B.S., M.D., D.G.O., F.R.C.T.M. (U.K.)
CONSULTANT IMMUNOLOGIST

Dr. KAMALESH CHATTERJEE
Ph.D, F.A.I.C. (U.K.)
CONSULTANT BIOCHEMIST

BioSpeciality Assay Lab Pvt. Ltd.

13, Lala Lajpat Rai Sarani, 3rd Floor (3C), Kolkata 700 020
(FORMERLY ELGIN ROAD)

Ph: 9433660051, 8232053246, 9830021046

E-mail: biospeciality@yahoo.co.in



ISO 9001:2015

BioSpeciality

BioSpeciality

BioSpeciality

BioSpeciality