

# PRESCRIPTION

CHRONIC KIDNEY DISEASE STAGE 5 ( HEMODIALYSIS INITIATED)

HYPERTENSION

ANEMIA

ELECTROLYTE

DOSE :

DOSE	Brand	Generic Name
Tablet	Prazopress XI (5MG)	PRAZOSIN EXTENDED RELEASE
Tablet	Cetil (500MG)	CEFUROXIME
Tablet	Tablet (20MG)	RABEPRAZOLE
Tablet	Cilacar / Cilren (20MG)	CILNIDIPINE
Tablet	Orofer Xt (100 MG)	ELEMENTAL IRON
Capsule	Rocaltrol (.25MCG)	CALCITRIOL
Drup	Potklor ()	POTASSIUM CHLORIDE
Drup	Lacti hep (3.33GMPER 5 ML)	LACTULOSE
Injection	Wepox (4000IU)	ERYTHROPOIETIN
Injection	Hepatitis B Vaccine (20MCG/1ML)	

### Instruction

- 1 Tab Once Daily At 5 Pm. To Continue
- 1 Tab Twice Daily At 10 Am And 10 Pm For 3 Day(s)
- 1 Tab Once Daily At 6 Am To Continue
- 1 Tab Once Daily At 8 Am To Continue
- 1 Tab Once Daily After Food At 10 Pm To Continue
- 1 Cap Once Daily After Food At 2 Pm To Continue
- 2 Tsf With 50 MI Water Twice Daily For 5 Day(s)
- 1.5 MI Once Daily At Bed Time 10 Pm( Hold If > 2 Loose Stool Occur) To Continue
- Twice Weekly, Sub Cutaneously To Continue
- 2 MI At 0, 1,2, 6 Months, Intra Muscular

11/11/2017 . 12.12.12

### ADVICE & OTHER ADVICE:

- Fluid Intake 600-800 MI/Day
- Continue Weekly Hemodialysis
- Creation Of A-V Fistula At The Earliest
- Take Salt Half Tsf Twice Daily For 3 Days

### INVESTIGATION :

HAEMOGLOBIN, UREA, CREATININE, ELECTROLYTES WITH BICARBONATE

After 10 Day(s)

1 unit blood transfusion in next hemodialysis  
*[Signature]*