

TEST REPORT

SPECIALITY IN :
HORMONE ASSAY
CYTOHISTOPATHOLOGY
ALLERGY TESTING

SWASTI

DIAGNOSTIC CENTRE
SPECIALITY REFERRAL LABORATORY
AN ISO 9001 : 2015 CERTIFIED COMPANY



REG. NO. : J-19575

DATE OF RECEIPT : 09-10-2018

PATIENT : Mr. MOHIUDDIN MIA

DATE OF REPORT : 09-10-2018

SEX : M AGE : 38 YRS

Referred By : Dr. BOL S.D.HOSPITAL

C.C.: XGKH

EXAMINATION OF HIV 1 + 2 BY ELISA METHOD (QUANTITATIVE ESTIMATION)

TEST	RESULT	UNIT	REF.RANGE
H I V 1 + 2	0.052	OD	Cut Off 0.250

IMPRESSION : NON REACTIVE


EXAMINATION OF HBSAG BY ELISA METHOD (QUANTITATIVE ESTIMATION)

TEST	RESULT	UNIT	REF.RANGE
HbsAg	0.020	OD	Cut Off 0.185

IMPRESSION : NON REACTIVE

==: End-of-Report :==

The results relate to the sample tested only. Partial reproduction of the report is prohibited.



TEST REPORT

SPECIALITY IN :
HORMONE ASSAY
CYTOHISTOPATHOLOGY
ALLERGY TESTING

SWASTI

DIAGNOSTIC CENTRE
SPECIALITY REFERRAL LABORATORY

AN ISO 9001 : 2015 CERTIFIED COMPANY



REG. NO. : J-19575

DATE OF RECEIPT : 09-10-2018

PATIENT : Mr. MOHIUDDIN MIA

DATE OF REPORT : 09-10-2018

SEX : M AGE : 38 YRS

Referred By : Dr. BOL S.D.HOSPITAL

C.C.: XGKH

PARAMETER	RESULT	UNIT	BIOLOGICAL REFERENCE INTERVAL
-----------	--------	------	-------------------------------

~~~~~

ANTI HCV (CMIA)

|                          |                        |      |                                   |
|--------------------------|------------------------|------|-----------------------------------|
| ANTI HCV (CMIA)<br>Serum | 0.16<br>(Non reactive) | S/Co | Non reactive < 1<br>Reactive >= 1 |
|--------------------------|------------------------|------|-----------------------------------|

CMIA

CDC recommendations for reporting anti-HCV testing\*.

Anti-HCV screening test, if negative report it as negative.  
 If positive then check S/Co (signal to cut off) ratio of CIA.  
 (chemiluminescent immunoassay).  
 If S/Co ratio CIA  $\geq$  8.0, report it as positive. If  $<$  8.0 then do  
 RIBA (recombinant immunoblot assay).  
 If RIBA negative, indeterminate or positive report it as negative  
 indeterminate or positive respectively.

\*Reference:

Alter MJ, Kuhnert WL, Finelli L. Guidelines for laboratory testing and  
 result reporting of antibody to hepatitis C virus.  
 MMWR Recomm Rep 2003;52:1-15.

■\*\*\*INSTRUMENT USED : 1. ARCHITECT i 2000  
 2. ARCHITECT i 1000

==: End-of-Report :==

The results relate to the sample tested only. Partial reproduction of the report is prohibited.

Pg 1 of 1 KG.

This Report Page is only used for downloading the report through internet Generated from SWASTI DIAGNOSTIC CENTRE

Dr. Debasish Bhattacharya